# U. S. DEPAREMENTE, OF AGRICULTURE, BURBAU OF ENTOROLOGY BULLETIN No. 99.

L. O. HOWARD, Entomologist and Chief of Bureau.

# PAPERS ON INSECTS INJURIOUS TO CITRUS AND OTHER SUBTROPICAL FRUITS.

# CONTENTS AND INDEX.

ISSUED SEPTEMBER 12, 1916.



WASHINGTON: GOVERNMENT PRINTING OFFICE. 1916. ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT FRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY

### U. S. DEPARTMENT OF AGRICULTURE,

BUREAU OF ENTOMOLOGY-BULLETIN No. 99.

L. O. HOWARD, Entomologist and Chief of Bureau,

# PAPERS ON INSECTS INJURIOUS TO CITRUS AND OTHER SUBTROPICAL FRUITS.

#### I. THE ORANGE THRIPS:

A REPORT OF PROGRESS FOR THE YEARS 1909 AND 1910.

By R. R. JONES AND J. R. HORTON, Agents and Experts, Deciduous Fruit Insect Investigations.

II. THE RED-BANDED THRIPS.

By H. M. RUSSELL, Entomological Assistant.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1916.

#### BUREAU OF ENTOMOLOGY.

- L. O. HOWARD, Entomologist and Chief of Bureau.
  C. L. MARLATT, Entomologist and Assistant Chief of Bureau.
  E. B. O'LEARY, Chief Clerk and Executive Assistant.
- F. H. CHITTENDEN, in charge of truck crop and stored product insect investigations.
- A. D. HOPKINS, in charge of forest insect investigations.
- W. D. Hunter, in charge of southern field crop insect investigations.
- in charge of cereal and forage insect investigations.

  A. L. QUAINTANCE, in charge of deciduous fruit insect investigations.
- E. F. PHILLIPS, in charge of bee culture.
- A. F. Burgess, in charge of gipsy moth and brown-tail moth investigations.
- ROLLA P. CURRIE, in charge of editorial work.
- MABEL COLCORD, librarian.

INVESTIGATIONS OF INSECTS AFFECTING TROPICAL AND SUBTROPICAL FRUITS.

C. L. MARLATT, in charge.

- R. S. WOGLUM, W. W. YOTHERS, and J. D. NEULS, entomological assistants.
- E. R. SASSCER, J. R. HORTON, H. L. SANFORD, E. W. RUST, and A. D. BORDEN, scientific assistants.

### INDEX.

Almond, Mexican. (See Terminalia catappa.) Anacardium occidentale, food plant of Heliothrips rubrocinctus	Page.
Apricot. (See Prunus armeniaca.)	
Avocado (see also Persea gratissima)—	
food plant of Heliothrips hæmorrhoidalis	19
food plant of Heliothrips rubrocinctus	17, 19
Bean thrips. (See Heliothrips fasciatus.)	
"Blight," so-called, of cacao, due to Heliothrips rubrocinctus	18
cao (see also Theobroma cacao)—	
food plant of Heliothrips rubrocinctus	17, 18
food plant of Mesothrips ficorum.	17
acao thrips," colloquial name for Heliothrips rubrocinctus	17
shew, food plant of Heliothrips rubrocinctus	25
trus aurantium var sinensis, food plant of orange thrips	2
trus decumana, food plant of orange thrips	3
trus, food plant of Euthrips occidentalis	2
trus japonica, food plant of orange thrips	3
trus medica var acida, food plant of orange thrips.	3
trus medica var limon, food plant of orange thrips.	3
trus nobitis, food plant of orange thrips.	3
offea liberica, food plant of Heliothrips rubrocinctus	25
ffee, Liberian. (See Coffea liberica.)	
tton, food plant of Heliothrips rubrocinctus	25
litivation against orange thrips	9
ock. (See Rumex sp.)	
mulsion, distillate-oil, and tobacco extract against orange thrips	10–15
uthrips citri. (See Orange thrips.)	
uthrips n. sp., description.	4-5
uthrips occidentalis on citrus.	2
uthrips tritici on oranges	2
umigation against orange thrips	10
rain thrips. (See Euthrips tritici.)	
rape, European. (See Vitis vinifera.)	
rapefruit. (See Citrus decumana.)	
deenhouse thrips. (See Heliothrips hamorrhoidalis.)	
wava. (See Psidium guajava.)	
wava, wild. (See Anacardium occidentale.)	
Itliothrips fasciatus—	
injury, character	19
prey of Triphleps insidiosus.	28
History hamorrhoidalis on mango and avocado	19
Idiothrips (Physopus) rubrocincta, bibliographic reference	29
uatomn'ps rubrocincta, bibliographic reference	29
55513—16——2	

W 11 .1 .1	
Heliothrips rubrocinctus—	Page.
adult, description	21
bibliography	28
classification	21
control, artificial.	28
control, natural	28
description	21-23
egg, description	21
food plants	25
habits of adult	23-24
habits of larva	24
habits of prepupa and pupa	25
hatching of egg	24
history	17-19
injury, nature and extent	19-20
larva, first-stage, description	21
larva, second-stage, description	29
life cycle	25-27
nymph, full-grown, or pupa, description	22
nymph, young, or prepupa, description	22
origin and distribution.	20
recent records.	19
HORTON, J. R., JONES, P. R., and, paper, "The Orange Thrips: A Report of	
Progress for the Years 1909 and 1910"	1-16
Hydrocyanic-acid gas. (See Fumigation.)	7-10
JONES, P. R., and HORTON, J. R., paper, "The Orange Thrips: A Report of	
Progress for the Years 1909 and 1910"	1-16
Kola (see also Sterculia acuminata)—	1-10
food plant of Heliothrips rubrocinctus.	18
Kumquat. (See Citrus japonica.)	10
Lemon. (See Citrus medica var. limon.)	
Lime. (See Citrus medica var. acida.)	
Lime-sulphur and tobacco extract against orange thrips	10_15
Mangifera indica, food plant of Heliothrips rubrocinctus	25
Mango (see also Mangifera indica)—	20)
food plant of Heliothrips hamorrhoidalis.	19
food plant of Heliothrips rubrocinctus	12 10
Mesothrips ficorum on cacao.	17
Olea europea, food plant of orange thrips.	3
Olive. (See Olea europea.)	,,
Orange—	
Australian Navel. (See Citrus aurantium var. sinensis.)	
food plant of Euthrips tritici	2
Homosassa. (See Citrus aurantium var sinensis.)	
Mediterranean Sweet. (See Citrus aurantium var sinensis.)	
Parson Brown. (See Citrus aurantium var sinensis.)	
Ruby Blood. (See Citrus aurantium var sinensis.)	
St. Michael. (See Citrus aurantium var sinensis.) Satsuma. (See Citrus nobilis.)	
tangerine. (See Citrus nobilis.)	
Thompson improved. (See Citrus aurantium var. sinensis.)	
Valencia Late. (See Citrus aurantium var. sinensis.)	
Washington Navel. (See Citrus aurantium var. sinensis.)	

Orange thrips—	Page.
abundance and food plants, interrelation	7
broods, number	8
control methods, experiments	9-13
description and life history	4-6
egg, description	5
egg stage, length	8
food plants	2-3
habits	9
injury, character and extent	3
larva, description	5
larval stage, length	8
life cycle.	8-9
original home and distributionpupa, description	2
pupa, description	5-6 8
pupal stage, length. recommendations for control.	
seasonal history.	6-7
summary	
	10-10
Pear. (See Pyrus communs.) Pepper tree, California. (See Schinus molle.)	
Persea gratissima, food plant of Heliothrips rubrocinctus	25
Physopus rubrocincta—	
hibliographic references	28, 29
= Heliothrips rubrocinctus	
Plum, European. (See Prunus domestica.)	
Pomegranate. (See Punica granatum.)	
Portulaca oleracea, iood plant of orange thrips	3
Prunus armeniaca, food plant of orange thrips	3
Prunus domestica, food plant of orange thrips	3
Prunus persica, food plant of orange thrips	3
Psidium quajava, food plant of Heliothrips rubrocinctus	25
Princa granatum, food plant of orange thrips	3
Purslane. (See Portulaca oleracea.)	
Pyrus communis, food plant of orange thrips	.3
Rains in control of Heliothrips rubrocinctus	28
Raspberry, red. (See Rubus idæus.)	
Red-banded thrips. (See Heliothrips rubrocinctus.)	
Rosa sp., food plant of orange thrips	3
Rose. (See Rosa sp.)	0.5
Roses, food plants of Heliothrips rubrocinctus.	25
Rubus idaus, food plant of orange thrips	0
Rumez sp., food plant of orange thrips	3
RUSSELL, H. M., paper, "The Red-banded Thrips (Heliothrips rubrocinctus	17 90
Giard)".	
Salix sp., food plant of orange thrips	
Schinus molle, food plant of orange thrips.	
Soap, whale-oil, tobacco extract, and water against red-banded thrips	. 40
Solanum sp., food plant of orange thrips	
Streulia acuminata, food plant of Heliothrips rubrocinctus  Terminalia catappa, food plant of Heliothrips rubrocinctus	
Theobroma cacao, food plant of Heliothrips rubrocinctus.	
- most onta cacao, 100d plant of thewourtps ruotocenceus	. 49,

Tobacco extract-	Page
and distillate-oil émulsion against orange thrips	10-1
and lime sulphur against orange thrips	
whale-oil soap, and water against red-banded thrips	
Triphleps insidiosus—	_
enemy of Heliothrips fasciatus	2
probable enemy of Heliothrips rubrocinctus	
"Umbrella tree," food plant of orange thrips	
Umbrella tree. (See Terminalia catappa.)	
Vitis vinifera, food plant of orange thrips	:
Willow. (See Salix sp.)	

### CONTENTS

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Page.
The orange thrips: A report of progress for the years 1909 and 1910	
P. R. Jones and J. R. Horton.	1
Introduction	1
Original home and distribution	2
Food plants	2
Character and extent of injury	3
Description and life history	4
The adult	4
The egg	5
The larva	5
The pupa	
Seasonal history	6
Interrelation of abundance of thrips and food plants	7
Life cycle	8
Habits	9
Experiments with methods of control	9
Cultivation	9
Fumigation	10
Spraying	10
Experiments to determine killing effect of different sprays	10
Experiments to prevent marking of the fruit	10
Experiments with nursery trees	12
Spray injury	13
Recommendations.	13
Time of application	13
Spray dilutions	13
How to spray	14
Summary	15
ne red-banded thrips (Heliothrips rubrocinctus Giard)	17
Introduction	17
History	17
Recent records.	19
Nature and extent of injury	19
Origin and distribution	20
Classification.	21
Description.	21
The adult.	21
	21
The egg	21
The first-stage larva	22
The second-stage or mature larva.	22
The young nymph or prepupa	23
The full-grown nymph or pupa	23
Habits of the adult	
Hatching of the egg.	24
Habits of the larva	24
Habits of the prepupa and pupa	
Food plants	
Life cycle	
Natural control	28
Artificial control.	28
Bibliography	28
dex	31

## ILLUSTRATIONS.

#### PLATES.

3 200 5 7 7 7	
PLATE I. Fig. 1.—Young oranges showing injury by the orange thrips (Euthrips citri). Fig. 2.—Young oranges showing injury to stem and blossom ends by the orange thrips.	Page
II. Mature oranges showing injury due to the orange thrips	
to work of the orange thrips	
rubrocinctus).  V. The red-banded thrips (Heliothrips rubrocinctus): Fig. 1.—Adult female. Fig. 2.—Full-grown larva. Fig. 3.—Prepupa. Fig. 4.—	21
Pupa	24
TEXT FIGURES. ,	
Fig. 1. Diagram illustrating the relative abundance of orange thrips on oranges, on orange foliage, and on other plants during the season	14
ERRATA.	
Page 17, line 4 from bottom, after Marchal strike out Craw. Page 17, line 9 from bottom, for Physophus read Physopus. Page 18, line 19 from bottom; page 21, line 3; page 28, lines 7 and 10 from botpage 29, lines 11, 13, 15, 19, 33, for Physophus read Physopus. Page 28, lines 7 and 10 from bottom, for rubrocinctus read rubrocincta.	itor